

西南交通大学电气工程学院卫生检查成绩（天佑斋17号-2018级男生）

寝室号	检查项目							寝室卫生成绩 40分	寝室安全成绩 30分	寝室文化成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T174092	8.0	4.0	6.0	6.0	4.0	4.0	6.0	38.0	30.0	25.0	93.0
T174093	7.5	4.0	6.0	6.0	6.0	4.0	6.0	39.5	30.0	25.0	94.5
T174094	8.0	4.0	5.5	6.0	5.0	4.0	6.0	38.5	30.0	25.0	93.5
T174095	7.5	4.0	5.5	6.0	6.0	1.0	6.0	36.0	30.0	25.0	91.0
T175062	7.5	4.0	6.0	6.0	2.0	3.0	6.0	34.5	30.0	25.0	89.5
T175063	7.5	4.0	6.0	5.5	3.0	4.0	6.0	36.0	30.0	25.0	91.0
T175064	7.5	4.0	6.0	6.0	5.0	4.0	6.0	38.5	30.0	26.0	94.5
T175065	7.5	4.0	6.0	6.0	4.0	3.0	6.0	36.5	30.0	25.0	91.5
T175066	6.5	4.0	6.0	5.5	2.0	0.0	6.0	30.0	30.0	25.0	85.0
T175067	8.0	4.0	6.0	6.0	5.0	4.0	5.5	38.5	30.0	25.0	93.5
T175068	7.5	4.0	6.0	5.5	4.0	2.0	6.0	35.0	30.0	25.0	90.0
T175069	7.5	4.0	5.0	4.0	2.0	2.0	5.5	30.0	30.0	25.0	85.0
T175071	7.5	4.0	5.5	6.0	4.0	3.0	6.0	36.0	30.0	25.0	91.0
T175072	7.5	4.0	6.0	4.0	3.0	4.0	6.0	34.5	30.0	26.0	90.5
T175073	8.0	4.0	5.5	6.0	5.0	4.0	6.0	38.5	30.0	25.0	93.5
T175074	7.0	4.0	6.0	4.0	5.0	2.0	5.5	33.5	30.0	25.0	88.5
T175075	8.0	4.0	6.0	6.0	5.0	3.0	6.0	38.0	30.0	25.0	93.0
T175076	7.5	4.0	6.0	6.0	2.0	3.5	6.0	35.0	30.0	25.0	90.0
T175077	8.0	4.0	6.0	6.0	3.0	4.0	6.0	37.0	30.0	26.0	93.0
T175078	6.5	4.0	6.0	4.5	3.0	3.0	5.5	32.5	30.0	25.0	87.5
T175079	7.5	4.0	6.0	5.5	3.0	4.0	6.0	36.0	30.0	25.0	91.0
T175080	7.5	4.0	6.0	5.5	2.0	4.0	5.5	34.5	30.0	25.0	89.5
T175081	8.0	4.0	6.0	6.0	5.0	3.0	6.0	38.0	30.0	25.0	93.0
T175082	7.0	4.0	6.0	4.0	2.0	3.0	5.5	31.5	30.0	25.0	86.5
T175083	8.0	4.0	6.0	5.0	5.0	4.0	5.5	37.5	30.0	25.0	92.5
T175084	8.0	4.0	6.0	6.0	6.0	3.0	6.0	39.0	30.0	25.0	94.0
T175085	7.0	4.0	6.0	4.5	6.0	2.0	6.0	35.5	30.0	25.0	90.5
T175086	8.0	4.0	6.0	6.0	6.0	3.0	6.0	39.0	30.0	25.0	94.0
T175087	7.5	4.0	6.0	5.5	6.0	1.0	6.0	36.0	30.0	26.0	92.0
T175088	7.0	4.0	6.0	6.0	6.0	3.0	6.0	38.0	30.0	25.0	93.0
T175089	8.0	4.0	6.0	6.0	6.0	4.0	5.5	39.5	30.0	26.0	95.5
T175090	7.5	4.0	6.0	5.0	6.0	4.0	6.0	38.5	30.0	25.0	93.5
T175091	7.0	4.0	6.0	6.0	6.0	1.0	5.0	35.0	30.0	25.0	90.0
T175092	7.5	4.0	6.0	6.0	4.0	4.0	6.0	37.5	30.0	25.0	92.5
T175093	8.0	4.0	6.0	6.0	5.0	4.0	6.0	39.0	30.0	26.0	95.0
T175094	8.0	4.0	6.0	6.0	4.0	4.0	6.0	38.0	30.0	26.0	94.0
T175095	7.0	4.0	5.5	6.0	4.0	4.0	5.5	36.0	30.0	25.0	91.0
T175096	8.0	4.0	5.0	6.0	6.0	3.0	5.5	37.5	30.0	25.0	92.5
T176039	7.0	4.0	6.0	5.0	4.5	2.5	5.0	34.0	30.0	25.0	89.0
T176040	6.5	4.0	6.0	5.0	3.5	2.0	5.0	32.0	30.0	25.0	87.0
T176041	7.0	4.0	6.0	5.0	3.5	3.0	5.0	33.5	30.0	25.0	88.5
T176042	8.0	4.0	5.0	6.0	4.0	3.0	5.0	35.0	30.0	25.0	90.0
T176043	8.0	4.0	6.0	5.0	5.0	3.0	5.0	36.0	30.0	26.0	92.0
T176044	8.0	4.0	6.0	5.0	4.5	3.0	6.0	36.5	30.0	25.0	91.5
T176045	7.5	4.0	6.0	5.0	5.0	2.0	6.0	35.5	30.0	26.0	91.5
T176046	7.5	4.0	6.0	5.0	3.5	3.0	5.0	34.0	30.0	26.0	90.0
T176047	7.0	4.0	6.0	5.0	3.0	2.5	5.0	32.5	30.0	27.0	89.5
T176048	8.0	4.0	6.0	5.0	4.0	2.5	5.0	34.5	30.0	27.0	91.5
T176049	7.5	4.0	5.0	4.0	4.0	3.5	6.0	34.0	30.0	27.0	91.0
T176050	8.0	4.0	6.0	5.0	3.0	2.0	5.0	33.0	30.0	26.0	89.0
T176051	8.0	4.0	5.0	5.0	5.0	3.5	6.0	36.5	30.0	26.0	92.5
T176052	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	27.0	90.0
T176053	7.5	4.0	5.0	5.0	4.0	4.0	6.0	35.5	30.0	27.0	92.5
T176054	8.0	4.0	5.0	5.0	5.0	4.0	5.0	36.0	30.0	26.0	92.0
T176055	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	27.0	90.0
T176056	7.5	4.0	6.0	5.0	4.0	4.0	6.0	36.5	30.0	26.0	92.5

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T176057	8.0	4.0	5.0	5.0	4.5	3.0	6.0	35.5	30.0	26.0	91.5
T176058	8.0	4.0	6.0	5.0	4.0	3.5	5.0	35.5	30.0	26.0	91.5
T176059	7.5	4.0	6.0	6.0	4.5	2.0	6.0	36.0	30.0	26.0	92.0
T176060	7.0	4.0	5.0	5.5	4.0	3.0	6.0	34.5	30.0	27.0	91.5
T176061	8.0	4.0	6.0	5.0	5.5	3.0	5.0	36.5	30.0	27.0	93.5
T176062	8.0	4.0	6.0	5.0	3.5	3.0	6.0	35.5	30.0	26.0	91.5
T176063	7.0	3.0	6.0	6.0	3.0	3.5	5.0	33.5	30.0	27.0	90.5
T176065	7.0	4.0	5.0	5.0	3.5	2.5	5.0	32.0	30.0	26.0	88.0
T176066	6.5	4.0	6.0	5.0	3.0	2.5	4.0	31.0	30.0	26.0	87.0
T176067	7.0	4.0	6.0	5.0	3.5	2.0	5.5	33.0	30.0	27.0	90.0
T176068	7.0	3.5	6.0	5.0	3.0	3.5	6.0	34.0	30.0	26.0	90.0
T176069	7.0	4.0	6.0	5.0	3.5	3.0	6.0	34.5	30.0	27.0	91.5
T176070	7.5	4.0	6.0	5.0	4.5	3.0	6.0	36.0	30.0	27.0	93.0
T176071	7.5	4.0	6.0	5.0	5.0	3.0	6.0	36.5	30.0	26.0	92.5
T176072	8.0	4.0	6.0	5.5	4.5	3.5	6.0	37.5	30.0	27.0	94.5
T176073	8.0	4.0	6.0	6.0	6.0	3.0	5.5	38.5	30.0	27.0	95.5
T176074	7.5	4.0	6.0	6.0	5.5	3.0	5.5	37.5	30.0	27.0	94.5
T176075	7.0	4.0	6.0	5.0	5.0	3.5	5.0	35.5	30.0	27.0	92.5
T176076	8.0	4.0	6.0	5.0	3.5	3.0	5.0	34.5	30.0	26.0	90.5
T176077	8.0	4.0	6.0	5.0	4.5	3.5	4.5	35.5	30.0	27.0	92.5
T176078	8.0	4.0	6.0	5.0	3.0	4.0	5.0	35.0	30.0	26.0	91.0
T176079	7.0	4.0	5.0	5.0	4.0	3.0	5.0	33.0	30.0	26.0	89.0
T176080	7.5	4.0	6.0	5.0	4.0	3.5	5.0	35.0	30.0	26.0	91.0
T176081	8.0	4.0	6.0	5.0	2.5	4.0	5.0	34.5	30.0	26.0	90.5
T176082	7.0	4.0	6.0	5.5	4.5	3.0	6.0	36.0	30.0	27.0	93.0
T176083	8.0	4.0	6.0	6.0	2.5	3.5	6.0	36.0	30.0	26.0	92.0
T176084	7.0	4.0	5.0	5.0	4.5	3.0	5.0	33.5	30.0	27.0	90.5
T176085	7.0	4.0	6.0	5.0	5.5	3.0	5.0	35.5	30.0	27.0	92.5
T176086	7.5	4.0	6.0	5.0	4.0	3.0	5.5	35.0	30.0	26.0	91.0
T176087	8.0	4.0	5.0	5.0	5.0	3.0	5.0	35.0	30.0	27.0	92.0
T176088	8.0	4.0	5.0	5.0	5.0	3.0	5.0	35.0	30.0	26.0	91.0
T176089	8.0	4.0	5.5	5.0	5.0	3.0	4.5	35.0	30.0	26.0	91.0

西南交通大学电气工程学院卫生检查成绩（天佑斋4号-2017级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T041041	8.0	4.0	5.0	5.0	5.0	3.0	5.0	35.0	30.0	27.0	92.0
T041047	6.0	4.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T041048	6.0	4.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	25.0	89.0
T041049	6.0	4.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T041050	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T041052	7.0	4.0	5.0	5.0	5.0	4.0	6.0	36.0	30.0	26.0	92.0
T041053	7.0	4.0	5.0	5.0	4.0	3.0	6.0	34.0	30.0	26.0	90.0
T041054	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T041055	6.0	4.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T041056	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	25.0	88.0
T041058	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T041059	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T041060	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T041061	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T041062	7.0	4.0	4.0	4.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T041063	7.0	4.0	5.0	4.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T041064	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T042001	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T042002	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	25.0	89.0
T042003	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	25.0	88.0
T042004	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T042005	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T042006	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T042007	7.0	3.0	4.0	4.0	5.0	3.0	5.0	31.0	30.0	25.0	86.0
T042008	7.0	3.0	5.0	4.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T042009	7.0	3.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	25.0	88.0
T042010	7.0	4.0	5.0	5.0	5.0	3.0	6.0	35.0	30.0	26.0	91.0
T042011	7.0	4.0	4.0	4.0	5.0	3.0	5.0	32.0	30.0	25.0	87.0
T042012	7.0	4.0	4.0	4.0	5.0	3.0	5.0	32.0	30.0	26.0	88.0
T042013	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	25.0	90.0
T042014	7.0	4.0	5.0	4.0	5.0	4.0	5.0	34.0	30.0	26.0	90.0
T042015	7.0	4.0	5.0	4.0	5.0	3.0	5.0	33.0	30.0	25.0	88.0
T042016	7.0	4.0	5.0	4.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T042017	7.0	4.0	5.0	4.0	5.0	3.0	6.0	34.0	30.0	27.0	91.0
T042018	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T042019	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	26.0	91.0
T042020	7.0	4.0	5.0	5.0	5.0	3.0	5.0	34.0	30.0	26.0	90.0
T042021	8.0	4.0	5.0	5.0	4.0	3.0	5.0	34.0	30.0	25.0	89.0
T042022	7.0	4.0	5.0	5.0	4.0	4.0	5.0	34.0	30.0	27.0	91.0
T042023	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T042024	7.0	4.0	5.0	4.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T042025	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	26.0	89.0
T043001	6.0	4.0	5.0	5.0	5.0	3.0	5.0	33.0	30.0	25.0	88.0
T043002	7.0	4.0	5.0	5.5	6.0	4.0	6.0	37.5	28.0	27.0	92.5
T043003	7.0	4.0	5.0	4.5	5.0	3.0	5.0	33.5	27.0	27.0	87.5
T043004	7.0	4.0	6.0	4.5	5.0	4.0	5.0	35.5	27.0	27.0	89.5
T043005	7.0	4.0	5.0	5.5	5.0	3.0	5.0	34.5	27.0	27.0	88.5
T043006	7.0	3.0	5.0	5.5	6.0	3.0	6.0	35.5	29.0	27.0	91.5
T043007	7.0	4.0	6.0	5.5	6.0	4.0	6.0	38.5	28.0	28.0	94.5
T043008	7.0	4.0	6.0	4.5	6.0	4.0	6.0	37.5	27.0	28.0	92.5
T043009	7.0	4.0	5.0	5.5	5.0	4.0	6.0	36.5	27.0	27.0	90.5
T043010	7.0	4.0	5.0	5.5	5.0	4.0	6.0	36.5	27.0	27.0	90.5
T043011	7.0	4.0	6.0	5.5	6.0	4.0	6.0	38.5	28.0	29.0	95.5
T043012	7.0	4.0	6.0	5.5	6.0	4.0	5.0	37.5	27.0	29.0	93.5
T043013	7.0	4.0	6.0	5.5	6.0	4.0	6.0	38.5	28.0	29.0	95.5
T043014	7.0	4.0	6.0	5.5	6.0	4.0	5.0	37.5	27.0	28.0	92.5

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T043015	7.0	4.0	5.0	5.5	6.0	3.0	6.0	36.5	27.0	27.0	90.5
T043016	7.0	4.0	5.0	4.5	5.0	3.0	6.0	34.5	27.0	26.0	87.5
T043017	7.0	4.0	5.0	4.5	5.0	3.0	6.0	34.5	27.0	27.0	88.5
T043018	7.0	4.0	5.0	5.5	6.0	4.0	5.0	36.5	27.0	26.0	89.5
T043019	7.0	4.0	5.0	5.5	5.0	3.0	6.0	35.5	27.0	27.0	89.5
T043020	7.0	4.0	6.0	5.5	6.0	4.0	6.0	38.5	27.0	27.0	92.5
T043021	7.0	4.0	5.0	5.5	5.0	3.0	6.0	35.5	27.0	26.0	88.5
T044001	7.0	4.0	5.0	5.5	6.0	3.0	6.0	36.5	27.0	27.0	90.5
T044002	7.0	4.0	6.0	5.5	6.0	4.0	6.0	38.5	27.0	26.0	91.5
T044003	7.0	4.0	5.0	5.5	5.0	3.0	6.0	35.5	27.0	27.0	89.5
T044004	7.0	4.0	5.0	4.5	6.0	3.0	6.0	35.5	27.0	28.0	90.5
T044005	7.0	4.0	5.0	5.5	5.0	3.0	6.0	35.5	27.0	27.0	89.5
T044006	7.0	4.0	5.0	4.5	6.0	3.0	5.0	34.5	27.0	28.0	89.5
T044007	7.0	4.0	6.0	4.5	5.0	3.0	5.0	34.5	28.0	27.0	89.5
T044008	7.0	4.0	5.0	5.0	5.0	3.0	6.0	35.0	27.0	27.0	89.0
T044009	7.0	4.0	5.0	5.5	6.0	4.0	6.0	37.5	28.0	28.0	93.5
T044010	7.0	4.0	5.0	5.5	5.0	4.0	6.0	36.5	26.0	27.0	89.5
T044011	7.0	4.0	5.0	5.5	5.0	4.0	6.0	36.5	27.0	27.0	90.5
T044012	7.0	4.0	6.0	5.5	5.0	4.0	6.0	37.5	27.0	27.0	91.5
T044013	7.0	4.0	5.0	4.5	5.0	4.0	6.0	35.5	27.0	27.0	89.5
T044014	7.0	4.0	5.0	5.5	6.0	3.0	6.0	36.5	28.0	27.0	91.5
T044015	7.0	4.0	5.0	4.5	5.0	4.0	6.0	35.5	27.0	28.0	90.5
T044016	7.0	4.0	6.0	5.5	6.0	4.0	6.0	38.5	27.0	27.0	92.5
T044017	7.0	4.0	5.0	5.5	5.0	3.0	6.0	35.5	28.0	28.0	91.5
T044018	7.0	4.0	5.0	4.5	5.0	4.0	6.0	35.5	27.0	27.0	89.5
T044019	7.0	4.0	6.0	4.5	6.0	4.0	6.0	37.5	27.0	28.0	92.5
T044020	7.0	4.0	6.0	5.5	5.0	4.0	6.0	37.5	27.0	27.0	91.5
T044021	7.0	4.0	5.0	4.5	5.0	2.0	5.0	32.5	27.0	28.0	87.5
T044022	7.0	4.0	5.0	5.5	5.0	4.0	5.0	35.5	27.0	27.0	89.5
T044023	7.0	4.0	6.0	5.5	6.0	4.0	6.0	38.5	28.0	27.0	93.5

西南交通大学电气工程学院卫生检查成绩（天佑斋1号-2016级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床6分	垃圾 筐 4分	洗手 间 6分				
T015002	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015003	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015004	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	26.0	85.5
T015005	6.5	3.0	4.0	4.0	5.0	4.0	3.0	29.5	30.0	26.0	85.5
T015006	6.5	3.0	4.0	4.0	5.0	4.0	4.0	30.5	30.0	26.0	86.5
T015007	6.5	3.0	4.0	4.0	4.0	4.0	3.0	28.5	30.0	27.0	85.5
T015008	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015009	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	26.0	85.5
T015010	6.5	3.0	5.0	4.0	5.0	4.0	4.0	31.5	30.0	27.0	88.5
T015011	6.5	3.0	4.0	4.0	5.0	4.0	4.0	30.5	30.0	26.0	86.5
T015012	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015013	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015014	6.5	3.0	4.0	4.0	4.0	4.0	3.0	28.5	30.0	27.0	85.5
T015015	6.5	3.0	5.0	4.0	4.0	4.0	4.0	30.5	30.0	26.0	86.5
T015016	6.5	4.0	4.0	4.0	4.0	4.0	4.0	30.5	30.0	26.0	86.5
T015017	6.5	3.0	5.0	4.0	4.0	4.0	4.0	30.5	30.0	26.0	86.5
T015018	6.5	3.0	4.0	4.0	5.0	4.0	4.0	30.5	30.0	26.0	86.5
T015019	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015020	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015021	6.5	3.0	5.0	4.0	4.0	4.0	4.0	30.5	30.0	26.0	86.5
T015022	6.5	3.0	5.0	4.0	4.0	4.0	4.0	30.5	30.0	26.0	86.5
T015023	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015024	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	26.0	85.5
T015025	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015026	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015027	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	26.0	85.5
T015028	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015029	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015030	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015031	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	26.0	85.5
T015032	6.5	3.0	5.0	3.0	4.0	4.0	4.0	29.5	30.0	26.0	85.5
T015033	6.5	3.0	5.0	4.0	5.0	4.0	3.0	30.5	30.0	26.0	86.5
T015034	6.5	3.0	4.0	4.0	5.0	4.0	3.0	29.5	30.0	27.0	86.5
T015035	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	26.0	85.5
T015036	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	27.0	86.5
T015037	6.5	3.0	4.0	4.0	4.0	3.0	4.0	28.5	30.0	27.0	85.5
T015038	6.5	3.0	4.0	4.0	4.0	4.0	4.0	29.5	30.0	26.0	85.5
T015039	6.0	3.0	4.0	4.5	3.5	2.5	3.5	27.0	30.0	26.0	83.0
T015040	6.0	3.0	4.0	4.5	4.0	3.0	4.5	29.0	30.0	26.0	85.0
T015041	5.0	3.0	4.0	3.5	4.0	3.5	3.5	26.5	30.0	26.0	82.5
T015042	6.0	3.0	4.0	5.5	4.0	3.5	4.5	30.5	30.0	26.0	86.5
T015043	6.0	3.0	3.0	4.5	4.0	3.5	4.5	28.5	30.0	26.0	84.5
T015044	7.0	3.0	5.0	5.5	4.5	3.5	5.5	34.0	30.0	26.0	90.0
T015045	6.0	3.0	5.0	5.5	4.0	3.5	5.5	32.5	30.0	27.0	89.5
T015046	7.0	3.0	4.0	5.5	4.0	3.5	5.5	32.5	30.0	26.0	88.5
T015047	7.0	3.0	4.0	5.5	4.0	3.0	5.5	32.0	30.0	27.0	89.0
T015048	7.0	3.0	4.0	5.5	4.0	3.5	4.5	31.5	30.0	26.0	87.5
T015049	7.0	3.0	4.0	4.5	4.0	3.0	4.5	30.0	30.0	26.0	86.0
T015050	6.0	3.0	4.0	5.5	4.0	3.5	5.5	31.5	30.0	27.0	88.5
T015051	6.0	3.0	4.0	5.5	4.0	3.5	5.5	31.5	30.0	26.0	87.5
T015052	6.0	3.0	4.0	3.5	4.0	3.0	5.5	29.0	30.0	26.0	85.0
T015053	7.0	3.0	5.0	4.5	4.0	3.5	4.5	31.5	30.0	27.0	88.5
T015054	6.0	3.0	4.0	4.5	5.0	3.5	4.5	30.5	30.0	26.0	86.5
T015055	6.0	3.0	4.0	5.5	4.0	3.5	5.5	31.5	30.0	27.0	88.5
T015056	6.0	3.0	4.0	5.5	4.0	3.5	4.5	30.5	30.0	27.0	87.5
T015057	6.0	3.0	4.0	4.5	4.0	3.5	5.5	30.5	30.0	26.0	86.5

寝室号	检查项目							寝室卫生成绩40分	寝室安全成绩30分	寝室文化成绩30分	总分100
	地面墙壁8分	门窗4分	书桌6分	阳台6分	床6分	垃圾筐4分	洗手间6分				
T015058	6.0	3.0	4.0	5.5	3.5	3.5	5.5	31.0	30.0	27.0	88.0
T015059	7.0	3.0	4.0	4.5	4.0	3.0	3.5	29.0	30.0	26.0	85.0
T015060	5.0	3.0	4.0	3.5	4.0	3.5	4.5	27.5	30.0	26.0	83.5
T015061	5.0	3.0	4.0	3.5	4.0	3.5	4.5	27.5	30.0	26.0	83.5
T015062	6.0	3.0	4.0	4.5	4.5	3.5	3.5	29.0	30.0	25.0	84.0
T015063	6.0	3.0	3.0	4.5	4.0	3.5	3.5	27.5	30.0	25.0	82.5
T015064	6.0	3.0	4.0	4.5	4.0	3.5	4.5	29.5	30.0	26.0	85.5
T015065	6.0	3.0	4.0	4.5	4.0	3.5	3.5	28.5	30.0	26.0	84.5
T015066	5.0	3.0	4.0	3.5	4.0	3.0	3.5	26.0	30.0	26.0	82.0
T015067	5.0	3.0	3.0	3.5	4.0	3.0	4.5	26.0	30.0	26.0	82.0
T015068	6.0	3.0	4.0	4.5	3.5	3.5	4.5	29.0	30.0	26.0	85.0
T015069	5.0	3.0	3.0	4.5	4.0	3.5	4.5	27.5	30.0	26.0	83.5
T015070	6.0	3.0	4.0	4.5	4.5	3.5	3.5	29.0	30.0	26.0	85.0
T015071	5.0	3.0	3.0	3.5	3.5	3.0	3.5	24.5	30.0	26.0	80.5
T015072	6.0	3.0	4.0	4.5	4.0	3.0	4.5	29.0	30.0	26.0	85.0
T015073	7.0	3.0	5.0	5.5	5.0	4.0	5.5	35.0	30.0	26.0	91.0
T015074	7.0	3.0	5.0	5.5	4.0	3.5	5.5	33.5	30.0	27.0	90.5
T015075	7.0	3.0	5.0	5.5	4.0	3.5	5.5	33.5	30.0	27.0	90.5
T015076	6.5	3.0	5.0	4.5	5.5	4.0	5.5	34.0	30.0	24.0	88.0
T015077	6.5	3.0	4.0	3.5	4.5	3.0	4.5	29.0	30.0	24.0	83.0
T015078	6.5	3.0	3.0	3.5	5.5	3.0	4.5	29.0	30.0	24.0	83.0
T015079	6.5	3.0	4.0	4.5	5.5	4.0	5.5	33.0	30.0	24.0	87.0
T015080	7.5	3.0	6.0	4.5	5.5	4.0	5.5	36.0	30.0	24.0	90.0
T015081	6.5	3.0	5.0	4.5	5.5	4.0	5.5	34.0	30.0	24.0	88.0
T015082	6.5	4.0	5.0	4.5	5.5	4.0	4.5	34.0	30.0	26.0	90.0
T015083	6.5	3.0	4.0	4.5	4.5	3.0	5.5	31.0	30.0	26.0	87.0
T015084	6.5	4.0	5.0	4.5	5.5	3.0	5.5	34.0	30.0	28.0	92.0
T015085	6.5	4.0	6.0	4.5	5.5	3.0	5.5	35.0	30.0	26.0	91.0
T015086	6.5	3.0	5.0	4.5	6.0	4.0	5.5	34.5	30.0	26.0	90.5
T015087	6.5	4.0	5.0	4.5	5.5	4.0	5.5	35.0	30.0	28.0	93.0
T015088	6.5	3.0	5.0	3.5	4.5	4.0	4.5	31.0	30.0	28.0	89.0
T015089	5.5	3.0	4.0	3.5	4.5	2.0	4.5	27.0	30.0	24.0	81.0
T015090	6.5	3.0	5.0	4.5	5.5	4.0	5.5	34.0	30.0	24.0	88.0
T015091	6.5	3.0	5.0	3.5	5.5	4.0	4.5	32.0	30.0	26.0	88.0
T015092	6.5	3.0	5.0	4.5	6.0	4.0	5.5	34.5	30.0	24.0	88.5
T015093	6.5	3.0	4.0	4.5	4.5	4.0	4.5	31.0	30.0	24.0	85.0
T015094	6.5	3.0	4.0	3.5	4.5	3.0	4.5	29.0	30.0	24.0	83.0
T015095	6.5	3.0	4.0	3.5	3.5	2.0	4.5	27.0	30.0	24.0	81.0
T015096	5.5	3.0	4.0	3.5	5.5	4.0	4.5	30.0	30.0	24.0	84.0
T015097	5.5	4.0	4.0	4.5	5.5	4.0	5.5	33.0	30.0	26.0	89.0
T015098	6.5	3.0	5.0	4.5	3.5	4.0	5.5	32.0	30.0	24.0	86.0
T015099	5.5	3.0	3.0	3.5	4.5	3.0	4.5	27.0	30.0	24.0	81.0
T015100	6.5	3.0	5.0	4.5	5.5	2.0	4.5	31.0	30.0	24.0	85.0
T015101	5.5	3.0	4.0	4.5	4.5	4.0	4.5	30.0	30.0	26.0	86.0
T015102	6.5	3.0	5.0	3.5	4.5	3.0	4.5	30.0	30.0	26.0	86.0
T015103	5.5	3.0	4.0	3.5	4.5	4.0	4.5	29.0	30.0	24.0	83.0
T015104	6.5	3.0	3.0	4.5	4.5	4.0	5.5	31.0	30.0	24.0	85.0
T015105	6.5	3.0	5.0	4.5	5.5	4.0	5.5	34.0	30.0	24.0	88.0
T015106	5.5	3.0	4.0	3.5	4.5	2.0	4.5	27.0	30.0	24.0	81.0
T015107	6.5	3.0	5.0	4.5	5.5	4.0	5.5	34.0	30.0	24.0	88.0
T015108	5.5	3.0	5.0	3.5	5.5	4.0	5.5	32.0	30.0	24.0	86.0
T016082	6.5	3.0	4.0	4.5	5.5	2.0	5.5	31.0	30.0	24.0	85.0
T016083	6.5	3.0	4.0	4.5	4.5	3.0	4.5	30.0	30.0	24.0	84.0
T016084	5.5	3.0	4.0	4.5	5.5	2.0	4.5	29.0	30.0	24.0	83.0
T016085	6.5	3.0	4.0	4.5	4.5	3.0	4.5	30.0	30.0	24.0	84.0

西南交通大学电气工程学院卫生检查成绩（天佑斋3号-2015级男生）

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T034089	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T034090	8.0	4.0	6.0	5.0	5.0	4.0	5.0	37.0	30.0	27.0	94.0
T034091	7.0	4.0	6.0	6.0	6.0	4.0	6.0	39.0	30.0	27.0	96.0
T034092	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T034093	6.0	4.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T034094	7.0	4.0	6.0	6.0	6.0	3.0	5.0	37.0	30.0	27.0	94.0
T034095	7.0	4.0	5.0	6.0	6.0	4.0	5.0	37.0	30.0	27.0	94.0
T034096	7.0	4.0	6.0	6.0	5.0	4.0	5.0	37.0	30.0	27.0	94.0
T034097	7.0	4.0	5.0	6.0	6.0	4.0	6.0	38.0	30.0	27.0	95.0
T034098	8.0	4.0	6.0	5.0	6.0	3.0	5.0	37.0	30.0	27.0	94.0
T034099	7.0	4.0	5.0	6.0	6.0	4.0	5.0	37.0	30.0	27.0	94.0
T034100	7.0	4.0	6.0	5.0	5.0	4.0	5.0	36.0	30.0	27.0	93.0
T035035	6.0	4.0	6.0	6.0	6.0	4.0	5.0	37.0	30.0	27.0	94.0
T035036	7.0	4.0	5.0	6.0	6.0	4.0	6.0	38.0	30.0	27.0	95.0
T035037	6.0	4.0	6.0	6.0	6.0	3.0	5.0	36.0	30.0	27.0	93.0
T035038	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035039	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	27.0	92.0
T035040	6.0	4.0	6.0	6.0	6.0	4.0	4.0	36.0	30.0	27.0	93.0
T035041	7.0	4.0	4.0	6.0	6.0	3.0	5.0	35.0	30.0	27.0	92.0
T035042	6.0	4.0	6.0	6.0	6.0	4.0	4.0	36.0	30.0	27.0	93.0
T035043	7.0	4.0	6.0	5.0	6.0	4.0	5.0	37.0	30.0	27.0	94.0
T035044	6.0	4.0	5.0	6.0	5.0	4.0	5.0	35.0	30.0	27.0	92.0
T035045	8.0	4.0	6.0	6.0	6.0	3.0	5.0	38.0	30.0	27.0	95.0
T035046	7.0	4.0	6.0	6.0	6.0	4.0	4.0	37.0	30.0	27.0	94.0
T035047	5.0	4.0	5.0	5.0	6.0	4.0	5.0	34.0	30.0	27.0	91.0
T035048	7.0	4.0	6.0	6.0	5.0	4.0	5.0	37.0	30.0	27.0	94.0
T035049	6.0	4.0	6.0	6.0	6.0	3.0	4.0	35.0	30.0	27.0	92.0
T035050	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035051	5.0	4.0	6.0	5.0	6.0	4.0	5.0	35.0	30.0	27.0	92.0
T035052	7.0	4.0	6.0	6.0	5.0	4.0	4.0	36.0	30.0	27.0	93.0
T035053	5.0	4.0	6.0	6.0	6.0	4.0	5.0	36.0	30.0	27.0	93.0
T035054	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035055	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035056	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035057	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035058	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035059	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035060	6.0	4.0	6.0	6.0	6.0	4.0	5.0	37.0	30.0	27.0	94.0
T035061	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035062	8.0	4.0	6.0	6.0	6.0	4.0	5.0	39.0	30.0	27.0	96.0
T035063	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035064	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035065	8.0	4.0	6.0	6.0	6.0	4.0	5.0	39.0	30.0	27.0	96.0
T035066	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035067	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035068	8.0	4.0	6.0	5.0	5.0	4.0	5.0	37.0	30.0	27.0	94.0
T035069	7.0	4.0	6.0	6.0	6.0	4.0	6.0	39.0	30.0	27.0	96.0
T035070	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035071	6.0	4.0	5.0	5.0	5.0	4.0	5.0	34.0	30.0	27.0	91.0
T035072	7.0	4.0	6.0	6.0	6.0	3.0	5.0	37.0	30.0	27.0	94.0
T035073	7.0	4.0	5.0	6.0	6.0	4.0	5.0	37.0	30.0	27.0	94.0
T035074	7.0	4.0	6.0	6.0	5.0	4.0	5.0	37.0	30.0	27.0	94.0
T035075	7.0	4.0	5.0	6.0	6.0	4.0	6.0	38.0	30.0	27.0	95.0
T035076	8.0	4.0	6.0	5.0	6.0	3.0	5.0	37.0	30.0	27.0	94.0
T035077	7.0	4.0	5.0	6.0	6.0	4.0	5.0	37.0	30.0	27.0	94.0
T035078	7.0	4.0	6.0	5.0	5.0	4.0	5.0	36.0	30.0	27.0	93.0

寝室号	检查项目							寝室 卫生 成绩 40分	寝室 安全 成绩 30分	寝室 文化 成绩 30分	总分 100
	地面 墙壁8 分	门窗4 分	书桌6 分	阳台6 分	床 6分	垃圾 筐 4分	洗手 间 6分				
T035079	6.0	4.0	6.0	6.0	6.0	4.0	5.0	37.0	30.0	27.0	94.0
T035080	7.0	4.0	5.0	6.0	6.0	4.0	6.0	38.0	30.0	27.0	95.0
T035081	6.0	4.0	6.0	6.0	6.0	3.0	5.0	36.0	30.0	27.0	93.0
T035082	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035083	7.0	4.0	5.0	5.0	5.0	4.0	5.0	35.0	30.0	27.0	92.0
T035084	6.0	4.0	6.0	6.0	6.0	4.0	4.0	36.0	30.0	27.0	93.0
T035085	7.0	4.0	4.0	6.0	6.0	3.0	5.0	35.0	30.0	27.0	92.0
T035086	6.0	4.0	6.0	6.0	6.0	4.0	4.0	36.0	30.0	27.0	93.0
T035087	7.0	4.0	6.0	5.0	6.0	4.0	5.0	37.0	30.0	27.0	94.0
T035088	6.0	4.0	5.0	6.0	5.0	4.0	5.0	35.0	30.0	27.0	92.0
T035089	8.0	4.0	6.0	6.0	6.0	3.0	5.0	38.0	30.0	27.0	95.0
T035090	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035091	5.0	4.0	6.0	5.0	6.0	4.0	5.0	35.0	30.0	27.0	92.0
T035092	7.0	4.0	6.0	6.0	5.0	4.0	4.0	36.0	30.0	27.0	93.0
T035093	5.0	4.0	6.0	6.0	6.0	4.0	5.0	36.0	30.0	27.0	93.0
T035094	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035095	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035096	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035097	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035098	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035099	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035100	6.0	4.0	6.0	6.0	6.0	4.0	5.0	37.0	30.0	27.0	94.0
T035101	7.0	4.0	6.0	6.0	6.0	4.0	5.0	38.0	30.0	27.0	95.0
T035102	8.0	4.0	6.0	6.0	6.0	4.0	5.0	39.0	30.0	27.0	96.0
T035103	8.0	4.0	6.0	6.0	6.0	3.0	5.0	38.0	30.0	27.0	95.0
T035104	7.0	4.0	6.0	6.0	6.0	4.0	4.0	37.0	30.0	27.0	94.0
T035105	5.0	4.0	5.0	5.0	6.0	4.0	5.0	34.0	30.0	27.0	91.0
T035106	7.0	4.0	6.0	6.0	5.0	4.0	5.0	37.0	30.0	27.0	94.0
T035107	6.0	4.0	6.0	6.0	6.0	3.0	4.0	35.0	30.0	27.0	92.0
T035108	8.0	4.0	6.0	6.0	6.0	4.0	5.0	39.0	30.0	27.0	96.0