

西南交通大学电气工程学院卫生检查成绩（天佑斋3号-2019级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分100
	地面 墙壁8分	门窗4分	书桌8分	阳台8分	床8分	垃圾 筐6分	洗手 间8分				
T031036	6.0	4.0	5.0	7.0	7.0	3.0	6.0	38.0	30.0	18.0	86.0
T031038	8.0	4.0	8.0	6.0	6.0	6.0	6.0	44.0	30.0	17.0	91.0
T031039	8.0	3.0	8.0	7.0	6.0	6.0	7.0	45.0	30.0	18.0	93.0
T031040	8.0	4.0	8.0	6.0	8.0	6.0	6.0	46.0	30.0	15.0	91.0
T031041	8.0	4.0	8.0	8.0	7.0	6.0	7.0	48.0	30.0	19.0	97.0
T031042	8.0	3.0	7.0	6.0	8.0	5.0	6.0	43.0	30.0	15.0	88.0
T031043	8.0	4.0	6.0	7.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T031044	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T031046	8.0	4.0	8.0	7.0	8.0	6.0	5.0	46.0	30.0	15.0	91.0
T031047	7.0	4.0	6.0	8.0	6.0	6.0	7.0	44.0	30.0	17.0	91.0
T031048	8.0	4.0	8.0	7.0	6.0	6.0	7.0	46.0	30.0	17.0	93.0
T031049	8.0	4.0	7.0	8.0	7.0	5.0	8.0	47.0	30.0	17.0	94.0
T031050	8.0	4.0	8.0	7.0	6.0	6.0	7.0	46.0	30.0	15.0	91.0
T031051	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	17.0	90.0
T031052	8.0	4.0	8.0	7.0	6.0	6.0	7.0	46.0	30.0	15.0	91.0
T031053	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	17.0	93.0
T031054	8.0	4.0	8.0	8.0	8.0	6.0	7.0	49.0	30.0	19.0	98.0
T031055	8.0	4.0	7.0	7.0	7.0	6.0	7.0	46.0	30.0	17.0	93.0
T031056	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T031057	8.0	4.0	7.0	8.0	7.0	5.0	8.0	47.0	30.0	19.0	96.0
T031058	8.0	4.0	8.0	8.0	6.0	6.0	8.0	48.0	30.0	17.0	95.0
T031059	7.0	4.0	6.0	7.0	7.0	5.0	5.0	41.0	30.0	17.0	88.0
T031060	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T031061	8.0	4.0	7.0	8.0	6.0	5.0	6.0	44.0	30.0	18.0	92.0
T031062	8.0	4.0	8.0	7.0	8.0	6.0	7.0	48.0	30.0	17.0	95.0
T031063	8.0	4.0	7.0	7.0	6.0	6.0	7.0	45.0	30.0	19.0	94.0
T031064	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T031065	7.0	3.0	5.0	7.0	6.0	5.0	6.0	39.0	30.0	17.0	86.0
T031066	8.0	4.0	8.0	7.0	6.0	6.0	7.0	46.0	30.0	15.0	91.0
T031067	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T032038	8.0	4.0	8.0	6.0	8.0	6.0	6.0	46.0	30.0	15.0	91.0
T032039	8.0	4.0	8.0	7.0	7.0	6.0	7.0	47.0	30.0	19.0	96.0
T032040	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	19.0	99.0
T032041	8.0	3.0	8.0	8.0	8.0	6.0	7.0	48.0	30.0	18.0	96.0
T032042	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	17.0	97.0
T032043	7.0	3.0	7.0	7.0	8.0	5.0	7.0	44.0	30.0	18.0	92.0
T032044	8.0	4.0	8.0	8.0	8.0	6.0	5.0	47.0	30.0	17.0	94.0
T032045	6.0	3.0	2.0	5.0	3.0	5.0	6.0	30.0	30.0	17.0	77.0
T032046	6.0	4.0	6.0	6.0	8.0	5.0	4.0	39.0	30.0	15.0	84.0
T032047	6.0	1.0	2.0	6.0	2.0	2.0	6.0	25.0	30.0	17.0	72.0
T032048	8.0	4.0	8.0	6.0	8.0	6.0	6.0	46.0	30.0	19.0	95.0
T032049	7.0	4.0	6.0	7.0	8.0	7.0	7.0	46.0	30.0	19.0	95.0
T032050	8.0	4.0	6.0	7.0	8.0	6.0	8.0	47.0	30.0	17.0	94.0
T032051	7.0	3.0	7.0	6.0	7.0	6.0	7.0	43.0	30.0	18.0	91.0
T032052	8.0	2.0	6.0	8.0	8.0	6.0	7.0	45.0	30.0	17.0	92.0
T032053	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	17.0	96.0
T032054	8.0	4.0	7.0	8.0	6.0	6.0	8.0	47.0	30.0	15.0	92.0
T032055	7.5	4.0	6.5	7.5	6.5	5.0	7.0	44.0	30.0	17.5	91.5
T032056	8.0	3.5	7.5	8.0	8.0	5.5	8.0	48.5	30.0	19.0	97.5
T032057	7.0	3.5	5.5	7.0	5.5	4.0	8.0	40.5	30.0	17.5	88.0
T032058	8.0	4.0	6.0	7.5	5.5	4.5	8.0	43.5	30.0	17.0	90.5
T032059	8.0	4.0	6.5	8.0	8.0	5.5	8.0	48.0	30.0	18.0	96.0
T032060	7.5	3.0	6.5	7.5	4.5	6.0	8.0	43.0	30.0	17.5	90.5
T032061	6.5	3.5	6.5	7.0	6.5	6.0	7.5	43.5	30.0	19.0	92.5
T032062	8.0	4.0	8.0	8.0	8.0	6.0	7.5	49.5	30.0	19.0	98.5
T032063	7.5	3.5	7.5	7.5	7.0	6.0	8.0	47.0	30.0	18.0	95.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分100
	地面 墙壁8 分	门窗4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T032064	7.5	4.0	7.5	6.5	7.5	4.0	8.0	45.0	30.0	17.5	92.5
T032065	8.0	3.5	8.0	7.0	7.5	5.5	8.0	47.5	30.0	19.0	96.5
T032066	7.0	4.0	6.5	6.0	5.5	5.5	7.5	42.0	30.0	17.5	89.5
T032067	7.5	3.5	6.5	6.5	6.0	6.0	8.0	44.0	30.0	17.5	89.5
T032068	7.0	4.0	6.0	7.0	6.5	4.0	8.0	42.5	30.0	17.5	90.0
T032069	6.0	2.5	5.5	7.0	8.0	6.0	6.5	41.5	30.0	17.0	88.5
T032070	6.5	3.5	6.5	7.0	7.0	4.5	7.0	42.0	30.0	17.5	89.5
T032071	6.0	4.0	6.5	6.5	7.0	5.0	6.5	41.5	30.0	17.0	88.5
T032072	7.0	4.0	6.0	7.5	6.0	5.0	7.0	42.5	30.0	17.0	89.5
T032073	6.0	4.0	5.0	6.5	5.0	4.0	7.5	38.0	30.0	17.5	85.5
T032074	7.5	4.0	8.0	8.0	8.0	6.0	8.0	49.5	30.0	18.5	98.0
T032075	8.0	4.0	7.5	7.0	7.0	6.0	7.0	46.5	30.0	18.0	94.5
T032076	7.0	4.0	7.5	7.5	6.5	5.5	7.0	45.0	30.0	18.0	93.0
T032077	8.0	2.5	7.0	8.0	6.5	6.0	8.0	46.0	30.0	18.0	94.0
T032078	7.0	3.5	5.5	6.5	7.0	5.0	7.0	41.5	30.0	17.5	89.0
T032079	7.0	4.0	7.0	6.5	7.0	6.0	7.5	45.0	30.0	18.0	93.0
T032080	8.0	4.0	6.0	6.0	7.0	5.5	7.5	44.0	30.0	16.5	90.5
T032081	8.0	3.5	7.5	8.0	8.0	6.0	8.0	49.0	30.0	18.5	97.5
T032082	7.5	3.5	7.0	7.0	7.5	6.0	8.0	46.5	30.0	18.5	95.0
T032083	5.0	4.0	5.5	6.0	4.5	5.0	7.0	37.0	30.0	16.0	83.0
T032084	8.0	2.5	6.5	8.0	7.5	6.0	7.0	45.5	30.0	18.0	93.5
T032085	7.5	4.0	8.0	8.0	7.5	6.0	8.0	49.0	30.0	19.0	98.0
T032086	8.0	4.0	7.0	8.0	8.0	6.0	7.5	48.5	30.0	18.0	96.5
T032087	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	19.0	98.0
T032088	7.5	4.0	8.0	8.0	8.0	6.0	8.0	49.5	30.0	18.5	98.0
T032089	8.0	4.0	7.0	8.0	7.5	5.5	8.0	48.0	30.0	18.5	96.5
T032090	7.5	4.0	6.0	7.5	4.0	5.0	6.5	40.5	30.0	17.5	88.0
T032091	5.5	3.5	5.5	6.0	5.5	4.0	6.0	36.0	30.0	17.5	83.5
T032092	6.0	2.0	5.5	7.0	5.5	4.5	8.0	38.5	30.0	16.5	85.0
T032093	7.5	4.0	6.5	7.5	8.0	5.5	8.0	47.0	30.0	18.5	95.5
T032094	7.5	4.0	7.0	6.5	7.0	5.5	7.0	44.5	30.0	19.0	93.5
T032095	6.5	4.0	7.5	6.5	7.5	6.0	6.0	44.0	30.0	18.5	92.5
T032096	8.0	4.0	7.0	7.0	6.5	6.0	8.0	46.5	30.0	18.5	95.0
T032097	8.0	3.5	7.0	7.5	8.0	5.0	7.5	46.5	30.0	19.0	95.5
T032098	8.0	4.0	6.5	7.5	7.5	6.0	7.5	47.0	30.0	17.5	94.5
T032099	8.0	4.0	8.0	8.0	8.0	5.5	8.0	49.5	30.0	19.5	99.0
T032100	7.5	4.0	7.0	7.0	8.0	5.5	8.0	47.0	30.0	19.0	96.0

西南交通大学电气工程学院卫生检查成绩（天佑斋17号-2018级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	门窗4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T174091	5.0	4.0	4.0	8.0	6.0	4.0	8.0	39.0	30.0	16.0	85.0
T174092	7.0	4.0	6.0	8.0	7.0	6.0	8.0	46.0	30.0	17.0	93.0
T174093	5.0	4.0	4.0	7.0	4.0	4.0	8.0	36.0	30.0	16.0	82.0
T174094	7.0	4.0	6.0	8.0	7.0	6.0	8.0	46.0	30.0	18.0	94.0
T174095	5.0	3.0	4.0	8.0	7.0	6.0	8.0	41.0	30.0	17.0	88.0
T175062	6.0	4.0	7.0	8.0	6.0	5.0	8.0	44.0	30.0	17.0	91.0
T175063	8.0	4.0	7.0	8.0	8.0	5.0	8.0	48.0	30.0	17.0	95.0
T175064	7.0	3.0	6.0	8.0	7.0	6.0	8.0	45.0	30.0	16.0	91.0
T175065	5.0	3.0	5.0	7.0	6.0	5.0	8.0	39.0	30.0	16.0	85.0
T175066	6.0	4.0	6.0	8.0	6.0	4.0	8.0	42.0	30.0	17.0	89.0
T175067	8.0	4.0	7.0	8.0	8.0	5.0	8.0	48.0	30.0	16.0	94.0
T175068	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T175069	5.0	3.0	6.0	7.0	7.0	6.0	8.0	42.0	30.0	17.0	89.0
T175071	7.0	4.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	17.0	94.0
T175072	8.0	3.0	7.0	8.0	7.0	6.0	8.0	47.0	30.0	16.0	93.0
T175073	7.0	3.0	7.0	7.0	7.0	6.0	8.0	45.0	30.0	18.0	93.0
T175074	6.0	4.0	6.0	8.0	7.0	5.0	8.0	44.0	30.0	16.0	90.0
T175075	8.0	4.0	7.0	8.0	8.0	5.0	8.0	48.0	30.0	15.0	93.0
T175076	6.0	4.0	6.0	8.0	5.0	6.0	8.0	43.0	30.0	15.0	88.0
T175077	6.0	3.0	7.0	8.0	5.0	5.0	8.0	42.0	30.0	17.0	89.0
T175078	6.0	3.0	7.0	8.0	6.0	4.0	8.0	42.0	30.0	16.0	88.0
T175079	5.0	4.0	7.0	8.0	7.0	6.0	8.0	45.0	30.0	16.0	91.0
T175080	7.0	4.0	6.0	8.0	8.0	4.0	8.0	45.0	30.0	17.0	92.0
T175081	7.0	4.0	5.0	8.0	7.0	6.0	8.0	45.0	30.0	15.0	90.0
T175082	5.0	3.0	6.0	7.0	7.0	6.0	8.0	42.0	30.0	15.0	87.0
T175083	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	15.0	94.0
T175084	7.0	3.0	8.0	8.0	7.0	5.0	8.0	46.0	30.0	15.0	91.0
T175085	7.0	4.0	5.0	8.0	7.0	6.0	8.0	45.0	30.0	16.0	91.0
T175086	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	18.0	97.0
T175087	8.0	4.0	7.0	8.0	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T175088	8.0	3.0	7.0	8.0	8.0	6.0	8.0	48.0	30.0	17.0	95.0
T175089	8.0	4.0	7.0	8.0	6.0	4.0	8.0	45.0	30.0	16.0	91.0
T175090	7.0	4.0	7.0	8.0	8.0	5.0	8.0	47.0	30.0	16.0	93.0
T175091	8.0	4.0	7.0	8.0	7.0	4.0	8.0	46.0	30.0	16.0	92.0
T175092	8.0	4.0	6.0	8.0	7.0	5.0	8.0	46.0	30.0	17.0	93.0
T175093	8.0	4.0	7.0	8.0	6.0	6.0	8.0	47.0	30.0	17.0	94.0
T175094	7.0	4.0	6.0	8.0	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T175095	6.0	4.0	5.0	8.0	4.0	6.0	8.0	41.0	30.0	18.0	89.0
T175096	6.0	4.0	4.0	8.0	4.0	4.0	8.0	38.0	30.0	17.0	85.0
T176039	6.0	3.0	7.0	8.0	6.0	4.0	8.0	42.0	30.0	16.0	88.0
T176040	5.0	3.0	6.0	7.0	6.0	5.0	8.0	40.0	30.0	16.0	86.0
T176041	6.0	3.0	7.0	8.0	8.0	4.0	8.0	44.0	30.0	15.0	89.0
T176042	8.0	3.0	7.0	8.0	6.0	5.0	8.0	45.0	30.0	17.0	92.0
T176043	7.0	4.0	6.0	7.0	7.0	5.0	8.0	44.0	30.0	16.0	90.0
T176044	6.0	3.0	6.0	8.0	8.0	4.0	8.0	43.0	30.0	17.0	90.0
T176045	7.0	4.0	7.5	8.0	8.0	4.0	8.0	46.5	30.0	16.0	92.5
T176046	7.0	4.0	7.0	6.0	7.5	6.0	8.0	45.5	30.0	16.0	91.5
T176047	7.0	4.0	6.0	7.0	8.0	4.0	7.0	43.0	30.0	15.5	88.5
T176048	6.0	3.0	7.0	6.0	8.0	3.0	8.0	41.0	30.0	15.0	86.0
T176049	7.5	4.0	7.5	7.0	8.0	6.0	8.0	48.0	30.0	15.0	93.0
T176050	7.0	4.0	7.0	7.0	6.0	6.0	8.0	45.0	30.0	15.0	90.0
T176051	7.0	4.0	7.0	7.0	8.0	5.5	8.0	46.5	30.0	17.0	93.5
T176052	7.0	4.0	7.0	7.0	8.0	6.0	8.0	47.0	30.0	16.0	93.0
T176053	7.5	4.0	6.0	7.0	6.0	4.0	7.5	42.0	30.0	15.0	87.0
T176054	7.5	4.0	7.5	8.0	7.0	6.0	8.0	48.0	30.0	16.5	94.5
T176055	7.5	4.0	4.5	7.0	7.0	6.0	8.0	44.0	30.0	15.0	89.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	门窗4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T176056	6.0	4.0	7.0	7.0	8.0	4.0	8.0	44.0	30.0	15.5	89.5
T176057	7.5	3.5	7.0	8.0	8.0	5.0	8.0	47.0	30.0	15.0	92.0
T176058	8.0	4.0	6.5	8.0	8.0	6.0	8.0	48.5	30.0	16.0	94.5
T176059	7.0	4.0	5.0	6.0	6.0	6.0	8.0	42.0	30.0	15.0	87.0
T176060	7.5	4.0	6.0	6.0	5.0	5.0	8.0	41.5	30.0	16.0	87.5
T176061	8.0	4.0	8.0	8.0	8.0	6.0	8.0	50.0	30.0	16.0	96.0
T176062	8.0	3.0	5.5	8.0	4.0	6.0	8.0	42.5	30.0	16.0	88.5
T176063	8.0	4.0	8.0	8.0	7.0	6.0	8.0	49.0	30.0	15.0	94.0
T176065	7.0	2.0	6.0	6.5	7.0	6.0	8.0	42.5	30.0	15.0	87.5
T176066	6.5	4.0	7.5	8.0	6.0	6.0	8.0	46.0	30.0	14.0	90.0
T176067	7.0	3.5	7.5	8.0	6.0	6.0	8.0	46.0	30.0	15.0	91.0
T176068	7.5	4.0	5.0	8.0	6.0	6.0	8.0	44.5	30.0	15.0	89.5
T176069	8.0	4.0	6.0	8.0	4.0	6.0	8.0	44.0	10.0	15.0	69.0
T176070	7.5	3.5	7.5	8.0	6.0	6.0	8.0	46.5	30.0	16.0	92.5
T176071	8.0	4.0	7.0	7.5	7.0	6.0	8.0	47.5	30.0	16.0	93.5
T176072	8.0	3.0	8.0	8.0	7.0	6.0	8.0	48.0	30.0	16.0	94.0
T176073	8.0	2.5	7.0	8.0	6.0	6.0	8.0	45.5	30.0	16.0	91.5
T176074	7.5	4.0	7.0	7.5	7.0	6.0	8.0	47.0	30.0	16.0	93.0
T176075	7.5	4.0	8.0	8.0	8.0	6.0	8.0	49.5	30.0	16.0	95.5
T176076	7.5	4.0	8.0	7.5	8.0	6.0	8.0	49.0	30.0	16.0	95.0
T176077	7.5	4.0	7.0	8.0	7.0	6.0	8.0	47.5	30.0	15.0	92.5
T176078	7.0	2.0	6.0	7.5	7.0	5.0	8.0	42.5	30.0	14.0	86.5
T176079	7.0	4.0	7.0	8.0	5.0	6.0	8.0	45.0	30.0	15.0	90.0
T176080	7.5	4.0	7.0	8.0	7.0	6.0	8.0	47.5	30.0	15.0	92.5
T176081	7.0	4.0	7.0	6.5	5.0	3.0	8.0	40.5	30.0	15.0	85.5
T176082	6.5	4.0	6.0	8.0	4.0	6.0	8.0	42.5	30.0	15.5	88.0
T176083	7.5	4.0	7.5	7.5	4.0	6.0	8.0	44.5	30.0	15.0	89.5
T176084	7.0	2.5	8.0	6.5	4.0	6.0	8.0	42.0	30.0	15.0	87.0
T176085	6.0	4.0	7.5	7.5	7.0	6.0	8.0	46.0	30.0	16.0	92.0
T176086	8.0	4.0	7.5	8.0	6.0	6.0	8.0	47.5	30.0	16.0	93.5
T176087	7.5	4.0	6.0	8.0	8.0	5.0	7.5	46.0	30.0	15.0	91.0
T176088	8.0	4.0	7.5	8.0	7.0	5.0	8.0	47.5	30.0	15.0	92.5
T176089	6.0	4.0	4.0	8.0	7.0	5.0	8.0	42.0	0.0	14.0	56.0

西南交通大学电气工程学院卫生检查成绩（天佑斋4号-2017级男生）

寝室号	检查项目							寝室卫生成绩 50分	寝室安全成绩 30分	寝室文化成绩 20分	总分 100
	地面 墙壁8 分	门窗4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T041041	7.0	3.5	7.0	8.0	7.0	5.0	7.0	44.5	30.0	16.5	91.0
T041047	7.5	3.0	6.0	7.0	5.0	5.0	6.0	39.5	30.0	17.5	87.0
T041048	7.0	3.5	6.5	7.5	5.5	4.0	6.0	40.0	30.0	17.5	87.5
T041049	7.0	4.0	7.0	7.5	5.5	4.0	7.0	42.0	30.0	17.0	89.0
T041050	7.5	3.0	7.0	8.0	6.0	5.0	8.0	44.5	30.0	17.0	91.5
T041052	7.0	4.0	6.5	8.0	5.0	3.0	7.0	40.5	30.0	16.5	87.0
T041053	7.5	3.5	6.0	7.5	6.0	4.0	8.0	42.5	30.0	16.0	88.5
T041054	7.0	3.5	7.5	8.0	6.0	4.0	7.0	43.0	30.0	17.0	90.0
T041055	7.0	3.5	8.0	8.0	6.0	5.0	8.0	45.5	30.0	17.0	92.5
T041056	7.0	3.0	7.0	7.0	5.5	5.0	6.0	40.5	30.0	16.0	86.5
T041058	7.0	3.5	7.5	7.5	7.0	5.0	7.0	44.5	30.0	17.0	91.5
T041059	6.5	3.5	7.5	6.0	7.0	5.0	6.0	41.5	30.0	16.0	87.5
T041060	7.0	4.0	8.0	7.0	6.0	4.0	7.0	43.0	30.0	17.0	90.0
T041061	7.0	3.0	7.0	6.0	6.0	4.0	6.0	39.0	30.0	16.0	85.0
T041062	7.0	2.0	6.5	6.0	6.0	4.0	6.0	37.5	30.0	17.0	84.5
T041063	7.0	4.0	6.5	7.0	7.0	3.0	7.0	41.5	30.0	16.0	87.5
T041064	7.0	3.5	6.5	6.0	6.0	4.0	7.0	40.0	30.0	17.0	87.0
T042001	7.0	4.0	6.5	7.0	6.0	4.0	7.0	41.5	30.0	16.0	87.5
T042002	7.0	3.5	7.5	7.0	7.0	4.0	8.0	44.0	30.0	17.0	91.0
T042003	7.0	4.0	7.5	6.0	6.0	3.0	6.0	39.5	30.0	17.0	86.5
T042004	7.5	3.5	7.5	7.0	6.0	5.0	7.0	43.5	30.0	17.0	90.5
T042005	7.0	4.0	7.5	8.0	6.0	5.0	7.0	44.5	30.0	16.0	90.5
T042006	7.0	4.0	7.0	8.0	6.0	5.0	7.0	44.0	30.0	17.0	91.0
T042007	7.0	4.0	7.0	7.0	6.0	5.0	7.0	43.0	30.0	17.0	90.0
T042008	7.0	3.5	7.0	7.0	6.0	4.0	7.0	41.5	30.0	16.0	87.5
T042009	7.0	3.0	7.0	8.0	6.0	4.0	8.0	43.0	30.0	17.0	90.0
T042010	7.5	3.5	8.0	8.0	7.0	5.0	8.0	47.0	30.0	17.0	94.0
T042011	7.0	3.5	6.5	7.0	6.0	5.0	7.0	42.0	30.0	17.0	89.0
T042012	7.0	4.0	7.5	7.0	6.0	5.0	7.0	43.5	30.0	16.0	89.5
T042013	8.0	3.0	8.0	8.0	6.0	5.0	8.0	46.0	30.0	17.0	93.0
T042014	7.0	3.5	7.5	7.0	6.0	4.0	7.0	42.0	30.0	16.0	88.0
T042015	7.0	3.5	7.5	7.0	7.0	3.0	7.0	42.0	30.0	18.0	90.0
T042016	7.0	3.5	7.5	7.0	7.0	3.0	7.0	42.0	30.0	17.0	89.0
T042017	7.0	4.0	6.5	7.0	6.0	5.0	7.0	42.5	30.0	17.0	89.5
T042018	7.0	4.0	8.0	7.5	7.0	5.0	8.0	46.5	30.0	17.0	93.5
T042019	7.0	4.0	7.5	7.5	6.0	4.0	7.0	43.0	30.0	18.0	91.0
T042020	7.0	3.5	7.5	7.5	6.0	5.0	7.0	43.5	30.0	17.5	91.0
T042021	7.5	3.5	8.0	7.5	7.0	5.0	8.0	46.5	30.0	17.5	94.0
T042022	7.0	3.5	8.0	7.5	7.0	5.0	7.0	45.0	30.0	17.5	92.5
T042023	7.0	3.5	8.0	7.5	7.0	5.0	7.0	45.0	30.0	17.5	92.5
T042024	7.0	3.5	7.5	7.5	6.0	5.0	7.0	43.5	30.0	17.5	91.0
T042025	7.0	3.0	6.5	6.5	6.0	4.0	7.0	40.0	30.0	16.5	86.5
T043001	8.0	4.0	7.0	7.0	8.0	5.0	5.5	44.5	30.0	16.5	91.0
T043002	8.0	4.0	7.0	8.0	8.0	4.0	6.5	45.5	30.0	17.5	93.0
T043003	8.0	4.0	8.0	7.0	6.0	5.0	6.0	44.0	30.0	15.5	89.5
T043004	8.0	4.0	8.0	6.0	7.0	5.0	5.0	43.0	30.0	15.0	88.0
T043005	6.0	4.0	5.0	6.0	6.0	5.0	4.0	36.0	30.0	16.0	82.0
T043006	7.0	3.0	7.0	6.5	6.0	4.0	6.0	39.5	30.0	15.5	85.0
T043007	7.0	4.0	8.0	8.0	7.0	6.0	6.0	46.0	30.0	15.5	91.5
T043008	8.0	3.0	8.0	5.0	8.0	5.0	8.0	45.0	30.0	16.0	91.0
T043009	8.0	4.0	6.0	6.0	7.0	4.0	4.0	39.0	30.0	17.0	86.0
T043010	8.0	4.0	6.0	8.0	8.0	5.0	7.0	46.0	30.0	18.0	94.0
T043011	8.0	2.0	8.0	8.0	8.0	5.0	5.0	44.0	30.0	16.0	90.0
T043012	8.0	3.0	8.0	6.0	7.0	6.0	7.0	45.0	30.0	17.0	92.0
T043013	8.0	4.0	8.0	8.0	8.0	5.0	5.0	46.0	30.0	17.0	93.0
T043014	7.0	3.0	8.0	5.0	7.0	4.0	4.0	38.0	30.0	18.0	86.0

寝室号	检查项目							寝室 卫生 成绩 50分	寝室 安全 成绩 30分	寝室 文化 成绩 20分	总分 100
	地面 墙壁8 分	门窗4 分	书桌8 分	阳台8 分	床 8分	垃圾 筐 6分	洗手 间 8分				
T043015	8.0	4.0	8.0	7.0	8.0	5.0	4.0	44.0	30.0	16.0	87.0
T043016	8.0	4.0	7.0	7.0	7.0	5.0	5.0	43.0	30.0	14.0	82.0
T043017	4.5	4.0	6.0	7.0	7.0	2.0	4.0	34.5	30.0	14.0	78.5
T043018	7.0	2.0	8.0	7.0	7.5	4.0	4.0	39.5	30.0	16.0	85.5
T043019	7.0	2.0	8.0	6.5	7.0	5.0	6.0	41.5	30.0	17.0	88.5
T043020	7.0	4.0	7.0	7.0	7.5	5.0	6.0	43.5	30.0	17.0	90.5
T043021	8.0	4.0	7.0	6.0	7.0	5.0	4.0	41.0	30.0	16.5	87.5
T044001	8.0	2.0	8.0	7.0	7.0	6.0	6.0	44.0	30.0	17.0	91.0
T044002	8.0	2.0	8.0	8.0	8.0	5.0	6.0	45.0	30.0	15.5	90.5
T044003	7.0	4.0	8.0	6.0	7.0	5.0	6.0	43.0	30.0	15.5	88.5
T044004	6.5	2.0	7.0	7.0	7.0	5.0	6.0	40.5	30.0	17.6	88.1
T044005	7.0	2.0	8.0	7.0	7.0	5.0	6.0	42.0	30.0	17.0	89.0
T044006	7.0	4.0	7.5	7.0	8.0	5.0	6.0	44.5	30.0	18.0	92.5
T044007	7.0	3.0	8.0	7.0	7.0	5.0	7.0	44.0	30.0	16.0	90.0
T044008	7.0	2.0	7.0	7.0	8.0	4.0	6.0	41.0	30.0	17.0	88.0
T044009	7.0	4.0	8.0	8.0	8.0	5.0	6.0	46.0	30.0	17.0	93.0
T044010	8.0	4.0	8.0	8.0	7.0	5.0	7.0	47.0	30.0	16.0	93.0
T044011	8.0	4.0	8.0	7.0	8.0	5.0	6.0	46.0	30.0	17.0	93.0
T044012	8.0	4.0	8.0	7.0	7.0	5.0	6.0	45.0	30.0	16.5	91.5
T044013	7.0	4.0	7.0	8.0	8.0	4.0	6.0	44.0	30.0	17.0	91.0
T044014	8.0	3.0	7.0	7.0	6.0	4.0	6.0	41.0	30.0	16.0	87.0
T044015	6.0	3.0	7.0	7.5	7.0	4.0	7.0	41.5	30.0	16.0	87.5
T044016	6.0	4.0	7.0	7.5	8.0	5.0	6.0	43.5	30.0	17.0	90.5
T044017	8.0	3.0	7.0	6.5	7.0	4.0	6.0	41.5	30.0	17.0	88.5
T044018	6.0	4.0	7.0	6.5	8.0	2.0	6.0	39.5	30.0	16.0	85.5
T044019	8.0	3.0	7.0	6.5	5.0	4.0	6.0	39.5	30.0	17.0	86.5
T044020	8.0	3.0	8.0	6.5	7.0	4.0	6.0	42.5	30.0	15.0	87.5
T044021	8.0	4.0	8.0	8.0	8.0	4.0	6.0	46.0	30.0	17.0	93.0
T044022	8.0	2.0	7.0	6.0	6.0	4.0	6.0	39.0	30.0	18.0	87.0
T044023	8.0	4.0	7.0	6.5	7.0	4.0	7.0	43.5	30.0	17.0	90.5